

REFERENCES

- 1: Simmons CP, Jeremy J. Farrar JJ, VinhChau NV, Wills B, N Engl J Med: 2012; 366: 1423-1432 April 12, 2012
- 2: Annual report 2007. Vector Borne Diseases Section, Ministry of Health, Malaysia (Unpublished)
- 3: Dengue hemorrhagic fever: diagnosis, treatment, prevention and control. 2nded. Geneva: World Health Organization;1997. Available at <http://w3.who.int/csr/resources/publications/dengue/024-33.pdf>.
4. Anders KL, Nguyet NM, Chau NV, et al. Epidemiological factors associated with dengue shock syndrome and mortality in hospitalized dengue patients in Ho Chi Minh City, Vietnam. *Am J Trop Med Hyg* 2011;84:127-34.
5. Khor CC, Chau TN, Pang J, et al. Genome- wide association study identifies susceptibility loci for dengue shock syndrome at MICB and PLCE1. *Nat Genet* 2011;43:1139-41.
6. Nguyen TH, Nguyen TL, Lei HY, et al. Association between sex, nutritional status, severity of dengue hemorrhagic fever, and immune status in infants with dengue hemorrhagic fever. *Am J Trop Med Hyg* 2005;72:370-4.
7. Rico-Hesse R, Harrison LM, Salas RA, et al. Origins of dengue type 2 viruses associated with increased pathogenicity in the Americas. *Virology* 1997;230:244-51.
- 8: Nimmannitya S. Clinical spectrum and management of dengue hemorrhagic fever. *Southeast Asian J Trop Med Pub Hlth* 1987;18(3):392-7.
- 9: Gubler DJ. Dengue and Dengue HemorrhagicFever.*Clinical Microbiology Review*. 1998;11(3):480-96.
- 10: Kalayanarooj S, Vaughn DW, Nimmannitya S et al. Early clinical and laboratory indicators of acute dengue illness. 1: *J Infect Dis*. 1997 Aug;176(2):313-21.
- 11: Balmaseda A, Hammond SN, Perez MA et al. Short report: assessment of the World Health Organization scheme for classification of dengue severity in Nicaragua. *Am J Trop Med Hyg*, 2005 Dec; 73(6): 1059-62
- 12: Hammond SN, Balmaseda A, Perez L, et al. (2005) Differences in dengue severity in infants, children, and adults in a 3-year hospital-based study in Nicaragua. *Am J Trop Med Hyg*. 2005;73: 1063-170.
- 13: Guzman MG, Alvarez M, Rodriguez R, et al. Fatal dengue hemorrhagic fever in Cuba, 1997. *Int J Infect Dis* 1999; 3:130–5.
- 14: Rigau-Perez JG, Laufer MK. Dengue-related deaths in Puerto Rico, 1992-1996: diagnosis and clinical warning signs. *Clin Infect Dis*. 2006 May 1;42(9):1241-6.
- 15: Ong A, Sandar M, Chen MI, Sin LY. Fatal dengue hemorrhagic fever in adults during a dengue epidemic in Singapore.*International Journal of Infectious Diseases*. 2007 May;11(3):263-7.

- 16: Wichmann O, Hongsiriwon S, Bowonwatanuwong C, et al. Risk factors and clinical features associated with severe dengue infection in adults and children during the 2001 epidemic in Chonburi, Thailand. *TropMedInt Health*. 2004 Sep;9(9):1022-9.
- 17: http://medic-ray.blogspot.com/2011_01_01_archive.html
- 18: Yip WCL. Dengue Hemorrhagic Fever: Current Approaches to Management. *Medical Progress* October 1980.
- 19: Cohen SN, Halstead SB. Shock associated with dengue infection. I. Clinical and physiologic manifestations of dengue hemorrhagic fever in Thailand, 1964. *JPediat* 1966; 68:448-56.
- 20: Pongpanich B. Pathogeneticmechanism in dengue hemorrhagic fever: Report of an international collaborative study. *Bull World Hlth*. 1973; 48:117.
- 21: Ganong WF. Cardiovascular homeostasis in health and disease. In: *Review of Medical Physiology*. 22nd Edition. London: McGraw-Hill; 2005:p.630-46.
- 22: http://en.wikipedia.org/wiki/Shock_%28circulatory%29
- 23: Guyton, Arthur; Hall, John (2006). "Chapter 24: Circulatory Shock and Physiology of Its Treatment". In Grulow, Rebecca. *Textbook of Medical Physiology* (11th ed.). Philadelphia, Pennsylvania: Elsevier Inc..pp. 278–288. ISBN 0-7216-0240-1.
- 24: Bhamarapravati N, Tuchinda P, Boonyapaknavik V. Pathology of Thailand hemorrhagic fever: a study of 100 autopsy cases. *Anna Trop Med Parasitol*. 1967;61:500-10. 35
- 25: Sahaphong S, Riengrojpitak S, Bhamarapravati N, et.al. Electron microscopic study of the vascular endothelial cell in dengue hemorrhagic fever. *Southeast Asian J Trop Med Public Health* 1980;11:194.
- 26: Chuansumrit A, Tangnararatchakit K. Pathophysiology and management of dengue hemorrhagic fever. *Transfusion Alternatives In Transfusion Medicine*. 2006;8(Suppl 1):3-11.
- 27: Michel CC, Curry FE. Microvascular permeability. *Physiol Rev* 1999;79:703-61.
- 28: Levick JR, Michel CC. Microvascular fluid exchange and the revised Starling principle. *Cardiovasc Res* 2010;87:198-210.
- 29: Wills BA, Oragui EE, Dung NM, et al. Size and charge characteristics of the protein leak in dengue shock syndrome. *J Infect Dis* 2004;190:810-8.
- 30: Avirutnan P, Zhang L, Punyadee N, et al. Secreted NS1 of dengue virus attachesto the surface of cells via interactions withheparan sulfate and chondroitin sulfate E. *PLoS Pathog* 2007;3(11):e183.
- 31: Chen Y, Maguire T, Hileman RE, et al. Dengue virus infectivity depends on envelopeprotein binding to target cell heparansulfate. *Nat Med* 1997;3:866-71.
- 32: Halstead SB. Observations related to pathogenesis of dengue hemorrhagic fever. VI. Hypotheses and discussion. *Yale J Biol Med*. 1970 Apr;42(5):350-62.

- 33: Sangkawibha N, Rojanasuphot, S, Ahandriks, et al. Risk factors in dengue shock syndrome: a prospective epidemiologic study in Rayong, Thailand. I. The 1980 outbreak. *Am.J. Epidemiol.* 1984;120:653-669.
- 34: Guzman MG, Kouri G, Bravo J, et al. Enhanced severity of secondary dengue-2 infections: death rates in 1981 and 1997 Cuban outbreaks. *Rev PanamSaludPublica*, 2002 Apr;11:223-7.
- 35: Schmidt AC, Response to Dengue Fever — The Good, the Bad, and the Ugly? *N Engl J Med* 2010; July 29, 2010 (363):484-487.
- 36: Badyopadhyay S, Lum LCS, Kroeger A. Classifying dengue: a review of the difficulties in using the WHO case classification for dengue hemorrhagic fever. *Tropical Medicine and International Health.* 2006; 11(8):1238-55.
- 37: Kittigul L, Pitakarnjanakul P, Sujirarat D, et al .The differences of clinical manifestations and laboratory findings in children and adults with dengue virus infection.*JClinVirol.* 2007 Jun;39(2):76-81.
- 38: Khor BS, Liu JW, Lee IK, et al. Dengue hemorrhagic fever patients with acute abdomen: clinical experience of 14 cases. *Am. J Trop Med Hyg* 2006 May;74(5):901-4.
- 39: Premaratna R, Bailey MS, Ratnasena BGN, et al. Dengue fever mimicking acute appendicitis. *Trans. Roy. Soc. Trop. Med. Hyg.* 2007 July;101(7):683-5.
- 40: Nguyen HN. Additional drug therapy in acute non-varicose upper gastrointestinal bleeding.*Dtsch Met Wochenschr.* 1999 Aug;124(33):980-1.
- 41: Solomon T, Dung NM, Vaughn DW, et al. Neurological manifestations of dengue infection. *Lancet.* 2000 Mar 25;355(9209):1053-9.
- 42: Soares CN, Faria LC, Peralta JM, et al. Dengue infection: neurological manifestations and cerebrospinal fluid (CSF) analysis. *J Neurol Sci.* 2006 Nov 1;249(1):19-24.
- 43: The Punjab prevention and control of Dengue (temporary) regulations 2011 - NO.S.O.(PH) 9-98/2002 (P-1)
- 44: Prevention and Control of Infecious Disease Act 1988(Act 342). Kuala Lumpur:Percetakan National Malaysia Berhad, 2001
- 45: Malavige GN, Velathanthiri VG, Wijewickrama ES, et al. Patterns of disease among adults hospitalized with dengue infections. *QJM.* 2006 May;99(5):299-305.
- 46: Lum LC, Goh AY, Chan PW, et al. Risk factors for hemorrhage in severe dengue infections. *J. Pediatr* 2002 May;140:629-31.
- 47: Mairuhu AT, Mac Gillavry MR, Setiati TE. Is clinical outcome of dengue-virus infections influenced by coagulation and fibrinolysis? A critical review of the evidence.*Lancet.* Jan 2003;3:33-41.36:
- 48: Krishnamurti C, Kalayanarooj S, Cutting MA, et al. Mechanisms of hemorrhage in dengue without circulatory collapse. *Am J Trop Med Hyg.* 2001 Dec;65(6):840-7.
- 49: Chuansumrit A, Philmothares V, Tardtong P, et al. Transfusion requirements in patients with dengue hemorrhagic fever. *Southeast Asian J Trop Med Public Health.* 2000;3:10-14

- 50: Chaudhary R, Khetan D, Sinha S, et al. Transfusion support to dengue patients in a hospital-based blood transfusion service in north India. *Transfusion and Apheresis Science*.2006 Dec; 35:239-44.
- 51: Souza LJ, Alves JG, Nogueira RM, et al. Aminotransferase changes and acute hepatitis in patients with dengue fever: analysis of 1,585 cases. *Braz J Infect Dis*. 2004 Apr;8(2):156-63.
- 52: Nguyen TL, Nguyen TH, Tieu NT. The impact of dengue hemorrhagic fever on liver function. *Research in Virology* 1997 July-August;148(4):273-7.
- 53: Analysis of specific IgM responses in secondary dengue virus infections: levels and positive rates in comparison with primary infections. Chanama S, Anantapreecha S, A-nuegoonpipat A, Sagnasang A, Kurane I, Sawanpanyalert P. *J Clin Virol*. 2004 Nov; 31(3):185-9.
- 54: Peeling, Rosanna W., Harvey Artsob, Jose Luis Pelegrino, Philippe Buchy, Mary J. Cardoso, Shamala Devi, Delia A. Enria, et al. "Evaluation of Diagnostic Tests: Dengue." *Nat Rev Micro* Dec. 2010: 30-37 (n.d.).
- 55: Schilling S, Ludofs D, An LV, et al. Laboratory diagnosis of primary and secondary infection. *Journal of Clinical Virology*. 2004;31:179-84.
- 56: Chanama S, Anantapreecha S, A-nuegoonpipat A., et al. Analysis of specific IgM response in secondary dengue virus infections: levels and positive rates in comparison with primary infections. *Journal of Clinical Virology*. 2004;31(3):185-189.
- 57: Wichmann O, Stark K, Shu P-Y, et al. Clinical features and pitfalls in the laboratory diagnosis in travelers. *BMC Infectious Diseases*. 2006;6(120): 1-8.
- 58: Blacksell SD, Doust JA, Newton PN, et al. A systematic review and metaanalysis of the diagnostic accuracy of rapid immunochromatographic assays for the detection of dengue virus IgM antibodies during acute infection. *Trans R Soc Trop Med Hyg*. 2006 Aug;100(8):775-84.
- 59: Berlioz-Arthaud A. Evaluation of reagents for the serological diagnosis of Dengue EPINET II Workshop. Institut Pasteur de Nouvelle Calédonie. March 2002.
- 60: Wu SJL, Paxton H, Hanson B, et al. Comparison of two rapid diagnostic assays for detection of immunoglobulin M antibodies to dengue virus. *Clinical and Diagnostic Laboratory Assays for detection of Immunoglobulin M Antibodies to dengue virus. Clinical and Diagnostic Laboratory Immunology*. 2000 Jan; 7(1): 106-10.
- 61: Cohen AL, Dowell SF, Ananda Nisalak, et al. Rapid diagnostic tests for dengue and leptospirosis: antibody detection is insensitive at presentation. *Trop Med and Int Health*. 2007 Jan; 12(1): 47-51.
- 62: Cuzzubbo AJ, Vaughn DW, Nisalak A, et al. Comparison of PanBio Dengue Enzyme-Linked immunosorbent Assay (ELISA) and MRL Dengue Fever Virus Immunoglobulin M Capture ELISA for Diagnosis of Dengue Virus Infection in Southeast Asia. *Clinical and Diagnostic Laboratory*. Sept 1999; 705-12.
- 63: Lam SK, Ew CL, Mitchell JL, et al. Evaluation of a capture screening enzyme-linked immunosorbent assay for combined determination of immunoglobulin M and G antibodies produced during dengue infection. *Clin. Diagn. Lab. Immunol*. 2000. 7:850–852.

- 64: Dash P.K, Parida M.M, Saxena, P, et al. Reemergence of dengue virus type-3 (subtype-III) in India: Implication for increased incidence of DHF & DSS. *Virology Journal*. 2006;3:55
- 65: Kong YY, Thay CH, Tin TC, et al. Rapid detection, serotyping and quantitation of dengue viruses by TaqMan real-time one-step RT-PCR. *Journal of Virological Methods*. 2006;138 :123-30.
- 66: Barkham TM, Chung YW, Tang KF, et al. The performance of RT-PCR compared with a rapid serological assay for acute dengue fever in a diagnostic laboratory. *TransRSoc Trop Med Hyg*. 2006;100: 142-8.
- 67:Yong YK, Thayan R, Chong HT, et al. Rapid detection and serotyping of dengue virus by multiplex RT-PCR and real-time SYBR green RT-PCR. *Singapore Med J*. 2007;48(7):662-8.
- 68: Kumaria R, Chakravarti A. Molecular detection and serotyping characteristic of dengue viruses by single-tube multiplex reverse transcriptase chain reaction. *Diagnostic Microbiol and Infect Dis*. 2005 Aug;52(4): 311-6.
- 69: Grobusch M.P, Niedrig M, Göbels K, et al. Evaluation of the use of RT-PCR for the early diagnosis of dengue fever.*Clinical Microbiology Infection*. 2006;12: 389-99.
- 70: Seah CLK, Chow VTK, Chan YC, et al. A comparative, prospective study of serological, virus isolation and PCR amplification techniques for the laboratory diagnosis of dengue infection.*SerdiagnImmunother Infect Disease*.1995; 7: 55-58.
- 71: Young PR, Hilditch PA, Bletchly C, et al. An antigen capture enzyme-linked immunosorbent assay reveals high levels of the dengue virus protein NS1 in the sera of infected patients. *J ClinMicrobiol* 2000, 38:1053-157.
- 72: Alcon S, Talarmin A, Debruyne M, et al. Enzyme-linked immunoassay specific to dengue virus type 1 non-structural protein NS1 reveals circulation of the antigen in the blood during the acute phase of disease in patients experiencing primary or secondary infections. *J ClinMicrobiol* 2002, 40:376-81.
- 73: Kumarasamy V, Wahab A, Chua SK, et al. Evaluation of commercial dengue NS1 antigen -capture ELISA for laboratory diagnosis of acute dengue virus infection. *Journal of Virological Methods* 2007, 140:75-9.
- 74: Laphra K, Sangcharaswichai A, Chokeybulkit K, et al. Evaluation of an NS1 antigen for diagnosis of acute dengue infection in patients with acute febrile illness. *DiagnosticMicrobiology and Infectious*.2008; 60:387-91.
- 75: Blacksell SD, Mammen MP, Thongpaseuth S, et al. Evaluation of the Panbio dengue virus nonstructural 1 antigen detection and immunoglobulin M antibody enzyme-linked immunoabsorbent assays for the diagnosis of acute dengue infections in Laos. *DiagnMicrobiol Infect Dis*. 2008 Jan;60:43-9.
- 76: Sekaran SD, Lan EC, Maheswarappa KB, et al. Evaluation of dengue NS1 capture ELISA assay for the rapid detection of dengue. *J Infect Developing Countries* 2007; 1(2):182-8.
- 77: Dussart P, Labeau B, Lagathu G, et al. Evaluation of an enzyme immunoassay for detection of dengue virus NS1 antigen in human serum. *ClinVacclmmunol* 2006, 13:1185-9

- 78: Ramos C, Sanchez G, Pando R.H, et al. Dengue virus in the brain of a fatal case of hemorrhagic dengue fever. *Journal of NeuroVirology*. 1998;4:465-8.
- 79: Rosen L, Drouet MT, Deubel V. Detection of dengue virus RNA by Reverse Transcription-Polymerase Chain Reaction in the liver and lymphoid organs but not in the brain in fatal human infection. *Am J Trop Med Hyg*. 1999;61(5):720-4.
- 80: Jessie K, Fong MY, Devi S, et al. Localization of dengue virus in naturally infected human tissues, by immunohistochemistry and in situ hybridization. *J Infect Dis*. 2004 Apr 15;189(8):1411-8.
- 81: Subcommittee of Technical Experts on Clinical Management of DF/ DHF. Guidelines on Clinical Management of Dengue/Dengue Hemorrhagic Fever, Sri Lanka. 2005. Available at <http://www.epid.gov.lk/pdf/Guidelines>
- 82: MOH, Singapore. Guidelines on Clinical Management of Dengue Fever/Dengue Hemorrhagic Fever 2005.
- 83: Kalayanaroj S, Nimmannitya S. Guidelines for DHF Case Management for Workshop on Case Management of Dengue Hemorrhagic Fever, WHO Collaborating Centre for Case Management of Dengue/DHF/DSS June 10 – 15, 2002.
- 84: Carlos CC, Oishi K, Cinco, et al. Comparison of Clinical Features and Hematologic CDC. Healthcare Infection Control Practices Advisory Committee. Guideline for isolation precautions: preventing transmission of infectious agents in healthcare settings 2007. Administrative responsibilities. Atlanta (GA): Centers for Disease Control and Prevention (CDC);2007 June.
- 85: Hung NT. Dengue Study Group. Current Capacity for Case Management of Dengue Hemorrhagic Fever in Provincial Hospitals in Southern Viet Nam. *Dengue Bulletin*. 2005; 29: 151-6.
- 86: Harnod D, Chang H, Wang TL. Dengue Fever versus Bioterrorism. *Ann Disaster Med*. 2002;1Suppl 1:S 44-58.
- 87: WHO Regional Publication SEARO , 29, 1999
- 88: Dung NM, Day NP, Tam DT, et al. Fluid replacement in dengue shock syndrome: a randomized, double-blind comparison of four intravenous-fluid regimens. *Clin Infect Dis*. 1999 Oct;29:787-94.
- 89: Ngo NT, Cao XT ,Kneen R, et al. Acute management of dengue shock syndrome : a randomized double-blind comparison of 4 intravenous fluid regimens in the first hour. *Clin Infect Dis*. 2001. 32:(2) 204-13.
- 90: Wills.BA,NguyenMD,HaTL,etal.Comparisonofthreefluidsolutionsforresuscitation in dengue shock syndrome. *N Engl J Med*. 2005 Sep 1;353(9):877-89.
- 91: De Roeck D, Deen J, Clemens JD. Policymakers' views on dengue fever/dengue hemorrhagic fever and the need for dengue vaccines in four southeast Asian countries. *Vaccine*. 2003; 22: (1)121–19.
- 92: Tanomsri S, Suchitra N. Haematology in dengue and dengue hemorrhagic fever. *Bailliere's Clinical Haematology* 2000;13:261-76.
- 93: Avila-Aguero ML, Avila-Aguero CR, Um SL, et al. Systemic host inflammatory and coagulation response in the Dengue virus primo-infection. *Cytokine*. 2004 Sep 21;27: 173-9.

- 94: Sosothikul D, Seksarn P, Pongsewalak S. Activation of endothelial cells, coagulation and fibrinolysis in children with dengue virus infection. *ThrombHaemost*, 2007. Apr;97:627-34
- 95: Wills BA, Oragui EE, Stephens AC, et al. Coagulation abnormalities in dengue hemorrhagic fever: serial investigations in 167 Vietnamese children with Dengue Shock Syndrome. *Clin infect Dis*. 2002 Aug; 35(3): 277-85.
- 96: Perret C, Chanthavanich P, Pengsaa K, et al. Dengue infection during pregnancy and transplacental antibody transfer in Thai mothers. *Journal of Infection*. 2005;51:287-93.
- 97: Esmon CT. The impact of the inflammatory response on coagulation. *Thrombosis Research*. 2004;114(5-6):321-7.
- 98: Chiu YC, Wu KL, Kuo CH, et al. Endoscopic Findings and Management of Dengue Patients with upper gastrointestinal bleeding. *Am J Trop Med Hyg*. 2005;73(2):41-4.
- 99: Lum LC, Abdel-Latif Mel-A, Goh AY, et al. Preventive Transfusion in DSS- is it necessary? *J Pediatr*. 2003 Nov;143(5):682-4.
- 100: Chairulfatah, A, Setiabudi, D., Agoes, et al. Thrombocytopenia and platelet transfusions in dengue hemorrhagic fever and dengue shock syndrome. *Dengue Bulletin*, 2003;27
- 101: Chuansumrit A, Wangruangsattid S, Lektrakul Y, et al. Dengue Study Group. Control of bleeding in children with DHF using recombinant activated FVII: a randomized, double-blind, placebo-controlled study. *Blood Coagul Fibrinolysis*. 16(8): 549-55.
- 102: Chuansumrit A, Tangnararatchakit K, Lektakul Y, et al. The use of recombinant activated FVII for controlling life-threatening bleeding in DSS. *Blood Coagul Fibrinolysis*. 2004 Jun;15:335-42.
- 103: United Kingdom Haemophilia Centre Doctors' Organisation (UKHCDO) Guidelines on the selection and use of therapeutic products to treat hemophilia and other hereditary bleeding disorders. *Hemophilia*. 2003;9:1-23.
- 104: Dimaano EM, Saito M, Honda S, et al. Lack of efficacy of high-dose intravenous immunoglobulin treatment of severe thrombocytopenia in patients with secondary dengue virus infection. *AM J Trop Med Hyg*. 2007 Dec; 77(6):1135-8.
- 105: Panpanich R, Sornchai P, Kanjanaratanakorn K. Corticosteroids for treating dengue shock syndrome. *Cochrane Database Syst Rev*. 2006 Jul 19;3: CD003488.
- 106: Srichaikul T, Punyagupta S, Kanchanapoom T, et al. Hemophagocytic syndrome in Dengue hemorrhagic fever with severe multiorgan complications. *J Med Assoc Thai*. 2008 Jan;91(1):104-9.
- 107: Shrishu RK, Suchitra R. Clinical features, complications and atypical manifestations of children with severe forms of Dengue Hemorrhagic Fever in South India. *The Indian Journal of Paediatrics*. 2006;73(10):889-95.
- 108: Sucitra R, Nirajan K, Indira J. Aggressive management of dengue shock syndrome may decrease mortality rate: A suggested protocol. *PediatrCrit Care Med*. 2005 Jul;6(4):412-9.
- 109: Marino PL. Principles of Mechanical Ventilation. 3rd ed. USA:Lippincott Williams & Wilkins, 2007;p.461.

- 110: Riley B. Oh's Intensive Care Manual. 5th ed.,China:Butterworth-Heinmann; Elsevier Limited, 2003;p496.
- 111: Pinnock C A, Lin T, Smith T. Indications for intubation and ventilation after head injury. In: Fundamentals of anaesthesia. 2nd edition. Cambridge University Press;2002 p.179
- 112: Task Force of the American College of Critical Care Medicine, Society of Critical Care Medicine. Practice parameters for hemodynamic support of sepsis in adult patients in sepsis. Crit Care Med 1999;27:639-60
- 113: Graber D, Daile RH. Catheter flow rates updated. JACEP. 1977;6:518.
- 114: Doerfler ME, Kaufman B, Goldenberg AS. Central venous catheter placement in patients with disorders of hemostasis.Chest. 1996 Jul;110:185-8.
- 115: Mumtaz H, Williams V, Hauer-Jensen M, et al. Central venous catheter placement in patients with disorders of hemostasis. Am J Surg. 2000 Dec;180 (6):503-5.
- 116: Fisher NC, Mutimer DJ. Central venous cannulation in patients with liver disease and coagulopathy – a prospective audit. Intensive Care Med. 1999 May; 25(5):481-5.
- 117: Foster PF, Moore LR, Sankary HN, et al. Central venous catheterization in patients with coagulopathy. Arch Surg. 1992 Mar;127(3):273-5.
- 118: McMahon C, Smith J, Khair K, et al. Central venous access devices in children with congenital coagulation disorders: complications and long-term outcome. Br J Haematol. 2000 Aug;110(2):461-8.
- 119: Tercan F, Ozkan U, Oguzkurt L. US-guided placement of central vein catheters in patients with disorders of hemostasis. Eur J Radiol. 2008 Feb;65(2):253-6.
- 120: Randolph AG, Cook DJ, Gonzales CA, et al. Pribble CG. Ultrasound guidance for placement of central venous catheters: A meta-analysis of the literature. Crit Care Med 1996 Dec; 24(12):2053-8.
- 121: Taylor RW, Palagiri AV. Central venous catheterization. Crit Care Med 2007 May; 35(5):1390-6.
- 122 :McGee DC, Gould MK. Current concepts: preventing complications of central venous catheterization. New Engl J Med 2003 March; 348(12):1123-33
- 123: Frezza EE, Mezghebe H. Indications and complications of arterial catheter use in surgical or medical intensive care units: analysis of 4932 patients. Am Surg 1998; 64:127-31.
- 124: Soni A, Chugh K, Sachdev A, et al. Management of Dengue Fever in ICU. Indian J Pediatr. 2001;68(11):1051-5.
- 125: Brown JL, Wilkinson R, Davidson RN, et al. Rapid diagnosis and determination of duration of viraemia in dengue fever using a reverse transcriptase polymerase chain reaction. Trans R Soc Trop Med Hyg. 1996 Mar-Apr;90(2):140-3.
- 126: Murgue B, Roche C, Chungue E, et al. Prospective study of the duration and magnitude of viraemia in children hospitalised during the 1996-1997 dengue-2 outbreak in French Polynesia. J Med Virol. 2000 Apr;60(4):432-8.

- 127: Wang WK, Chao DY, Kao CL, et al. High levels of plasma dengue viral load during defervescence in patients with dengue hemorrhagic fever: Implications for pathogenesis. *Virology*. 2003 Jan 0;305(2):330-8.
- 128: Wang WK, Chen HL, Yang CF, et al. Slower rates of clearance of viral load and virus-containing immune complexes in patients with dengue hemorrhagic fever. *Clin Infect Dis*. 2006 Oct 15;43(8):1023-30.
- 129: Ko YC, Chen MJ, Yeh SM. The predisposing and protective factors against dengue virus transmission by mosquito vector. *Am J Epidemiol*. 1992 Jul 15;136(2):214-20.
- 130: Igarashi A. Impact of dengue virus infection and its control. *FEMS Immunol Med Microbiol*. 1997 Aug;18(4):291-300.
- 131: Chou JT, Rossignol PA, Ayres JW. Evaluation of commercial insect repellents on human skin against *Aedes aegypti* (Diptera: Culicidae). *Journal of Medical Entomology*. 1997. 34(6): 624 - 30.
- 132: De Roeck D, Deen J, Clemens JD. Policymakers' views on dengue fever/dengue hemorrhagic fever and the need for dengue vaccines in four southeast Asian countries. *Vaccine*. 2003; 22: (1)121–19.
- 133: Pang T. Vaccines for the prevention of neglected diseases--dengue fever. *Curr Opin Biotechnol*. 2003 Jun;14(3):332-6.
- 134: Dengue: Guidelines for Diagnosis, Treatment, Prevention and Control New Edition, World Health Organization - TDR, 2009.
- 135: Guidelines on Management of Dengue Fever and Dengue Haemorrhagic Fever in Children and Adolescents, Ministry of Health, Sri Lanka In Collaboration with Sri Lanka College of Paediatricians, 2010
- 136: Volume replacement in infants with dengue hemorrhagic fever/dengue shock syndrome. Nguyen TH, Nguyen TL, Lei HY, Lin YS, Le BL, Huang KJ, Lin CF, Do QH, Vu TQ, Lam TM, Yeh TM, Huang JH, Liu CC, Halstead SB. *Am J Trop Med Hyg*. 2006 Apr;74(4):684-91.)
- 137: Waduge R, Malavige GN, Pradeepan M, et al. Dengue infections during pregnancy: a case series from Sri Lanka and review of the literature. *J Clin Virol*. 2006 Sep;37(1):27-33.
- 138: Ismail NA, Kampan N, Mahdy ZA, et al. Dengue in pregnancy. *Southeast Asian J Trop Med Public Health*. 2006 Jul;37(4):681-3.
- 139: Carles G, Peiffer H, Talarmin A. Effects of dengue fever during pregnancy in French Guiana. *Clin Infect Dis*. 1999 Mar;28(3):637-40.
- 140: Verdeal JCR, Costa Filho R, Vanzillotta C, Macedo GL, Bozza FA, Toscano L et al. *Rev Bras Ter Intensiva*. 2011; 23(2):125-133